



Assembly and Operating Instructions



max. 136 kg



~ 60 Min. 



 70 kg

L 126 | W 53 | H 162

CSTEX60.01.09

Art. No. CST-EX60

Elliptical Cross Trainer **EX60**

Content

1	GENERAL INFORMATION	7
1.1	Technical Data	7
1.2	Personal Safety	8
1.3	Electrical Safety	9
1.4	Set-Up Place	10
2	ASSEMBLY	11
2.1	General Instructions	11
2.2	Scope of Delivery	12
2.3	Assembly	13
3	OPERATING INSTRUCTIONS	20
3.1	Console Display	20
3.2	Button Functions	22
3.3	Turning On and Setting the Equipment	23
3.4	Programmes	24
3.4.1	MAN. - Manual Programme	24
3.4.2	PROG - Pre-Set Programmes	26
3.4.3	RECOVERY - Fitness Test	29
3.4.4	WATT - Watt Controlled Programme	30
3.4.5	USER - User Defined Programme	32
3.4.6	H.R.C. - Heart Rate Controlled Programmes	34
4	STORAGE AND TRANSPORT	36
4.1	General Instructions	36
4.2	Transportation Wheels	36
5	TROUBLESHOOTING, CARE AND MAINTENANCE	37
5.1	General Instructions	37
5.2	Faults and Fault Diagnosis	37
5.3	Maintenance and Inspection Calendar	38
6	DISPOSAL	38
7	RECOMMENDED ACCESSORIES	39

8	ORDERING SPARE PARTS	40
8.1	Serial Number and Model Name	40
8.2	Parts List	41
8.3	Exploded Drawing	44
9	WARRANTY	45
10	CONTACT	47

Dear customer,

thank you for choosing fitness equipment from cardiostrong®. cardiostrong offers high-quality home fitness equipment that is optimally adapted to the conditions at home. Train at home no matter what the weather or time of the day. cardiostrong fitness equipment offers training programmes and a variety of equipment for all training levels and all training goals. Further information can be found at www.sport-tiedje.com or www.cardiostrong.de. We hope you enjoy your training!

Intended Use

The equipment may only be used for its intended purpose.

The equipment is only suitable for home use. The equipment is not suitable for semi-professional (e.g. hospitals, associations, hotels, schools, etc.) and commercial or professional use (e.g. fitness studios).

Legal Notice

Sport-Tiedje GmbH
Europe's No. 1 for home fitness

International Headquarters
Flensburger Straße 55
24837 Schleswig
Germany

Management:
Christian Grau
Sebastian Campmann
Dr. Bernhard Schenkel
No. HRB 1000 SL
Local Court Flensburg
European VAT Number: DE813211547

Disclaimer



©2010 cardiostrong® is a registered brand of the company SportTiedje GmbH. All rights reserved. Any use of this trademark without the explicit written permission of Sport-Tiedje is prohibited.

Product and manual are subject to change. Technical data can be changed without advance notice.

ABOUT THIS MANUAL

Please carefully read the entire manual before installation and first use. The manual will help you to quickly set up the system and explains how to safely use it. Make sure that all persons exercising with the equipment (especially children and persons with physical, sensory, mental or motor disabilities) are informed about this manual and its contents in advance. In case of doubt, responsible persons must supervise the use of the equipment.

Due to ongoing changes and software optimisations, the manual may have to be updated. If you notice any discrepancies during assembly or use, please refer to the manual uploaded to the webshop. The latest manual is always available there.

This equipment has been manufactured according to the latest safety knowledge. As far as possible, potential safety hazards which could cause injury have been eliminated. Make sure to carefully follow the instructions and that all parts are securely in place. If required, read through the instructions again to correct any mistakes.



Please pay close attention to the safety and maintenance instructions given here. The contract partner cannot be held liable for damage to health, accidents or damage to the equipment when it is not used in accordance with these instructions.

The following safety instructions may appear in this manual:

► **ATTENTION**

This notice indicates potentially hazardous situations which, if not avoided, may result in property damage.

⚠ **CAUTION**

This notice indicates potentially hazardous situations which, if not avoided, may result in slight or minor injuries!

⚠ **WARNING**

This notice indicates potentially hazardous situations which, if not avoided, may result in death or serious injuries!

⚠ **DANGER**

This notice indicates potentially hazardous situations which, if not avoided, will result in death or serious injuries!

ⓘ **NOTICE**

This notice indicates further useful information.

Retain these instructions in a safe place for future reference, maintenance or when ordering replacement parts.

1.1 Technical Data

LCD display of

- + speed in km/h
- + training time in min
- + training distance in km
- + cadence (rotations per minute)
- + calories burnt in kcal
- + heart rate (when using the hand sensors or a chest strap)
- + Watt
- + resistance level

Resistance system: electronic magnetic brake system
Resistance levels: 16
Watt: 10 - 350 Watt (adjustable in 5-Watt increments)

User memory: 5
Total number of training programmes: 19
Manual programmes: 1
Pre-set programmes: 12
Watt-controlled programme: 1
Heart rate controlled programmes: 4
User defined programme: 1

Flywheel mass: + in front: 12 kg high-speed
+ rear: 9 kg

Weight and dimensions:

Article weight (gross, including packaging): 78.1 kg
Article weight (net, without packaging): 70 kg
Packaging dimensions (L x W x H): approx. 141 cm x 45 cm x 73 cm
Set up dimensions (L x W x H): approx. 126 cm x 53 cm x 162 cm
Maximum user weight: 136 kg/300 lbs

1.2 Personal Safety

DANGER

- + Before you start using the equipment, you should consult your physician that this type of exercise is suitable for you from a health perspective. Particularly affected are persons who: have a hereditary disposition to high blood pressure or heart disease, are over the age of 45, smoke, have high cholesterol values, are overweight and/or have not exercised regularly in the past year. If you are under medical treatment that affects your heart rate, medical advice is absolutely essential.
- + Note that excessive training can seriously endanger your health. Please also note that heart rate monitoring systems can be inaccurate. If you notice any signs of weakness, nausea, dizziness, pain, shortness of breath, or other abnormal symptoms, stop exercising immediately and seek advice from your doctor if necessary.

WARNING

- + This equipment may not be used by children under the age of 14.
- + Children should not be allowed unsupervised access to the equipment.
- + Persons with disabilities must have a medical license and must be under strict observation when using the equipment.
- +
- + The equipment is strictly for use by one person at a time.
- + Keep your hands, feet and other body parts, hair, clothing, jewellery and other objects well clear of moving parts.
- + During use, wear suitable sports clothing rather than loose or baggy clothing. When wearing sports shoes, make sure they have suitable soles, preferably made of rubber or other non-slip materials. Shoes with heels, leather soles, studs or spikes are unsuitable. Never exercise barefoot.

CAUTION

- + If your equipment needs to be connected to the power supply with a mains cable, make sure that the cable is not a potential tripping hazard.
- + Make sure that nobody is within the range of motion of the equipment during training so as not to endanger you or other persons.

ATTENTION

- + Do not insert any objects of any kind into the openings of the device.

1.3 Electrical Safety

DANGER

- + In order to reduce the risk of an electric shock, always unplug the equipment from the mains socket immediately after your workout, before assembly or dismantling, and before maintenance or cleaning. Do not pull on the cable.

WARNING

- + Do not leave the equipment unattended while the mains cable is plugged into the mains socket. During your absence, the mains cable must be removed from the mains socket to prevent improper use by third parties or children.
- + If the mains cable or plug is damaged or defective, contact your contract partner. Until repair, the equipment must not be used.

ATTENTION

- + The equipment requires a mains connection of 220-230 V with 50 Hz mains voltage.
- + The equipment may only be connected directly to an earthed socket using the supplied mains cable. Extension cables must conform to VDE guidelines. Always completely unwind the mains cable.
- + The socket must be protected by a fuse with a minimum fuse rating of "16 A, slow blow".
- + Do not make any changes to the mains cable or the mains plug.
- + Keep the mains cable away from water, heat, oil and sharp edges. Do not route the mains cable underneath the equipment or under a carpet or rug, and do not place any objects on top of it.

1.4 Set-Up Place

WARNING

- + Do not place the equipment in main corridors or escape routes.

CAUTION

- + Choose a location in which to place the equipment such that there is enough free space/clearance to the front, the rear and to the sides of the equipment. Make sure that you leave at least 30 cm on each side of the equipment and at least 15 cm in front of and behind the equipment as a training zone. This is the minimum required area in order to safely use the equipment. The recommended free zone around the equipment should be at least 60 cm on each side and 45 cm in front of and behind the equipment.
- + The training room should be well ventilated during training and not be exposed to any draughts.
- + Choose the place in which to set up the equipment such that there is enough free space/clearance to the front, the rear and to the sides of the equipment.
- + The set-up and mounting surface of the equipment should be flat, loadable and solid.

ATTENTION

- + The device may only be used in one building, in sufficiently tempered and dry rooms (ambient temperatures between 10°C and 35°C). The equipment should not be used outdoors or in rooms with high humidity (over 70%) like swimming pools.
- + A floor protective mat/equipment underlay can help to protect high-quality floor coverings (parquet, laminate, cork, carpets) from dents and sweat and can help to level out slight unevenness.

2.1 General Instructions



DANGER

- + Do not leave any tools, packaging materials such as foils or small parts lying around, as otherwise there is a danger of suffocation for children. Keep children away from the equipment during assembly.



WARNING

- + Pay attention to the instructions attached to the equipment in order to reduce the risk of injuries.



CAUTION

- + Do not open the packaging when it is lying on its side.
- + Ensure to have sufficient room for movement in each direction during assembly.
- + The assembly of the equipment must be carried out by at least two adults. If in doubt, seek the help of a third technically skilled person.



ATTENTION

- + To prevent damage to the equipment and the floor, assemble the equipment on a mat or packaging board.



NOTICE


- + In order to make the assembly as simple as possible, some screws and nuts to be used can already be pre-assembled.
- + Ideally, assemble the equipment at its later set-up place.

2.2 Scope of Delivery

The scope of delivery consist of the following parts. At the beginning, check whether all parts and tools belonging to the device are included in the scope of delivery and whether damage has occurred. In the event of complaints, the contractual partner must be contacted directly.

⚠ CAUTION

If parts of the scope of delivery are missing or damaged, the assembly must not be carried out.



2.3 Assembly


Before assembly, take a close look at the individual assembly steps shown and carry out the assembly in the order given.

① NOTICE

First loosely screw all parts together and check that they fit properly. Tighten the screws using the tool only when you are instructed to do so.


Step 1: Assembly of the Rear Stabilizer

1. Remove the pre-assembled washers (C2), spring washers (C3) and nuts (C4) from the rear stabilizer (C).
2. Mount the rear stabilizer (C) to the rear bracket on the main frame (A) using two screws (C1), two washers (C2), two spring washers (C3) and two nuts (C4).
3. Tighten the screws.



Step 2: Assembly of the Front Stabilizer

1. Mount the front stabilizer (D) to the main frame (A) using two screws (J1), two spring washers (J13) and two washers (J14).
2. Tighten the screws.





Step 3: Assembly of the Support Tube

1. Remove pre-assembled the screws (J4), spring washers (J2) and washers (J3) from the main frame (A).
2. Connect the sensor wire (A1) to the sensor wire (B1).

► **ATTENTION**



Pay attention to not pinch the cables during the next step.

3. Mount the support tube (B) to the main frame (A) using six screws (J4), six spring washers (J2) and six washers (J3).
4. Tighten the screws.



Step 4: Assembly of the Side Handle Bars

1. Mount the side handle bars (G1 and G2) to the support tube (B) using two screws (J5) and one screw (J6) each, see fig. F.
2. Tighten the screws.





Step 5: Assembly of the Brackets and locking the Pedal Arms

1. Remove the pre-assembled screws (J7), spring washers (J2) and washers (J3).
2. Mount the bracket (H3) to the right pedal arm using two screws (J7), two spring washers (J2) and two washers (J3).
3. Repeat the previous step for the left side.
4. Set a position for the height of the pedal arms and fix the position by tightening the knob (G3).

NOTICE
The pedal arms can be set to four different heights.

5. Tighten the screws and the knob.

CAUTION
To prevent falls, the pedal arm should be at the same height on both sides.



Step 6: Assembly of the Pedals



NOTICE

The pedals can be mounted in three different positions.

1. Mount the right pedal (H2) to the pedal arm using two washers (J9), two spring washers (J11) and two knobs (H4).
2. Repeat the previous step for the left side.
3. Tighten the knobs (H4).

CAUTION

To prevent falls, make sure that the pedals are in the same position on both sides and that the knob (H4) is always tightened firmly.



Step 7: Assembly of the Handles, the Sonsole and the Bottle holder



► ATTENTION

Pay attention to not pinch the cables during the next steps.

1. Connect the cables of the handle bars (F1 and F2) to the cables on the console mast (B) and slide both handle bars into the bracket on the console mast (B).
2. Mount the handle bars (F1 and F2) to the console mast using two screws (J10) and connect the handle bars (F1 and F2) by the bracket (F3) using one screw (J12).
3. Connect the sensor wires (B1 and B2) to the wires of the console (E).
4. Remove the pre-assembled screws (J15) from the console (E) and mount the console (E) to the console mast (B) using the previously removed four screws (J15).
5. Remove the pre-assembled screws (B4) from the console mast (B) and mount the bottle holder (H6) to the console mast (B) using the previously removed two screws (B4).
6. Tighten the screws.

ⓘ NOTICE

The user can adjust the console angle according to their needs.



Step 8: Alignment of the Feet

If the floor is uneven, you can stabilize the equipment by turning the two setting screws under the main frame.


1. Lift the equipment on the desired side and rotate the setting screws under the main frame.
2. Rotate the screws clockwise in order to remove them and to raise the equipment.
3. Rotate them counterclockwise in order to lower the equipment.

Step 9: Connecting the Equipment to the Mains Supply

► **ATTENTION**

The equipment must not be connected to a multiple socket, otherwise it cannot be guaranteed that the equipment will be supplied with sufficient power. Technical errors can result.

Plug the power plug into a wall outlet that complies with the instructions in the chapter on electrical safety.




3 OPERATING INSTRUCTIONS

① NOTICE







Familiarise yourself with all the functions and setting options of the device before starting training. Have the proper use of this product explained to you by a specialist.

3.1 Console Display



Time	0:00 - 99:00 minutes
Speed	0.0 - 99.9 km/h
RPM (cadence; rotations per minute)	15 - 999 RPM
Distance	0.0 - 99.95 km
Calories	0 - 990 Cal
Sex	Male/Female (m/f)
Pulse (heart rate; beats per minute)	60 - 220 BPM
Heart rate symbol	on/off - blinking
Programs	P1 - P12
User data	U1 - U4
Watt/load (output/resistance)	0 - 999 Watt; Watt control: 10 - 350 Watt
Level (resistance)	1 - 16
H.R.C. (heart rate control)	55 / 75 / 90% of the max. heart rate; manual target heart rate (TAG)
Age	10 - 99 years
Height	100 - 200 cm (default value: 160 cm)
Weight	20 - 150 kg (default value: 50 kg) / 44 - 330 lbs (default value: 121 lbs)

3.2 Button Functions

	<p>START STOP</p>	<p>You can start and stop the training with this button</p>
	<p>RECOVERY</p>	<p>Check state of recovery of heart rate</p>
	<p>PLUS</p>	<p>Select training mode or increase functional value</p>
	<p>MINUS</p>	<p>Select training mode or lower functional value</p>
	<p>RESET</p>	<p>Press the button in the stop mode to return to the main menu</p>
	<p>QUICK KEY P1 - P12</p>	<p>Quick selection of the pre-set programs (12 programs)</p>
	<p>MODE</p>	<p>Confirm setting</p>

3.3 Turning On and Setting the Equipment

1. Connect monitor to the power or press RESET for three seconds and the LCD display will show all segments with a long beep (1-second-long) and display, i. e., 78.0 (software version) (see fig. 1 and 2).
2. With the +/- buttons, the user can select the programs User 0 to 4 and confirm with MODE (see fig. 3 to 4). Then set the user data SEX, AGE, HEIGHT and WEIGHT. Press +/- to select the corresponding values (see fig. 5 to 8). Confirm the settings with MODE.




Figure 1




Figure 2




Figure 3




Figure 4



Figure 5




Figure 6




Figure 7



Figure 8

3.4 Programmes

After the user data was entered, press MODE and press +/- in order to select the mode:

- + Manual (manual training): 1
- + Program (pre-set training programs): 12
- + User Setting (user-defined training program): 1
- + H.R.C. (heart rate controlled training programs): 4
- + Watt (Watt-controlled training program): 1
- + Recovery (fitness test)

3.4.1 MAN. - Manual Programme

1. Hold RESET for 3 seconds, select user and enter data or simply press just RESET.
2. Select MANUAL mode with +/- and press MODE for the setting (see fig. 9).
3. Enter load level and confirm with MODE (see fig. 10).
4. Enter TIME, DISTANCE, CALORIES and target PULSE values (see fig. 11-14).
5. Press START to begin the training. Select load level with +/- (see fig. 15).
6. Press STOP to stop the training. Press RESET in order to return to the selected mode or press RESET for three seconds in order to return to the main menu (see fig. 16).



Figure 9



Figure 10




Figure 11




Figure 12




Figure 13




Figure 14





Figure 15



Figure 16

Procedure for setting the manual training programs:



3.4.2 PROG - Pre-Set Programmes

1. Hold RESET for three seconds, select user and enter data. Alternatively, press RESET to get to the main menu.
2. Select the PROGRAM mode with +/- buttons and confirm with MODE (see fig. 17). Press +/- to select the programs 1 to 12 (figure 18) or use the hot keys "P1" - "P12".
3. Adjust load level with +/- buttons and confirm with MODE (see fig. 19).
4. Enter TIME, DISTANCE, CALORIES and target PULSE values. Confirm with MODE (see fig. 20).
5. Press START and begin training. Set load level with +/- buttons (see fig. 21-24).
6. Press STOP to stop the training. Press RESET to return to the main menu or hold for three seconds in order to get to the standby mode.



Figure 17



Figure 18




Figure 19



Figure 20



Figure 21



Figure 22




Figure 23




Figure 24

Profiles from pre-set training programmes:


P1




P2




P3




P4




P5




P6




P7




P8




P9




P10




P11



P12



Procedure for setting the pre-set training programmes:



3.4.3 RECOVERY - Fitness Test

1. Hold RESET for three seconds, select user and enter data. Alternatively, press RESET to return to the main menu.
2. Select the FITNESS mode with +/- buttons and confirm with MODE (see fig. 25-26).
3. Press START to begin the training. Set load level with +/- buttons.

After 12 minutes, the display will automatically show the training results.

4. Press STOP to stop the training. Press RESET to return to the main menu or hold for three seconds to get to the standby mode.




Figure 25



Figure 26

Procedure for setting the fitness test:



3.4.4 WATT - Watt Controlled Programme

1. Hold RESET for three seconds, select the user and enter data. Alternatively press RESET to return to the main menu.
2. Select the WATT mode with +/- buttons and confirm with MODE (see fig. 27).
3. Enter the target value in Watt with +/- buttons and confirm with MODE (see fig. 28).
4. Enter TIME, DISTANCE, CALORIES and target PULSE values. Confirm with MODE (see fig. 29-32).
5. Press START to begin the training. Watt can be adjusted through +/- buttons.
6. Press STOP to stop the training. Press RESET to return to the main menu or hold for three seconds to get to the standby mode.




Figure 27




Figure 28




Figure 29



Figure 30



Figure 31





Figure 32

Procedure for setting the Watt-controlled programme:



3.4.5 USER - User Defined Programme

1. Hold RESET for three seconds, select the user and enter data. Alternatively press RESET to return to the main menu.
2. Select the USER mode with +/- buttons and confirm with MODE (see fig. 33).
3. Enter every load level with +/- buttons. Press MODE to get to the next column (see fig. 34). After all settings, press MODE for three seconds to confirm.
4. Enter TIME, DISTANCE, CALORIES and target PULSE values. Confirm with MODE (see fig. 35-38).
5. Press START to begin the training. Adjust load level with +/- buttons.
6. Press STOP to stop the training. Press RESET to return to the main menu or hold for three seconds to get to the standby mode.



Figure 33




Figure 34




Figure 35




Figure 36




Figure 37



Figure 38

3.4.6 H.R.C. - Heart Rate Controlled Programmes

⚠ WARNING

Your training equipment is not a medical device. The heart rate measurement of this equipment may be inaccurate. Various factors can affect the accuracy of the heart rate measurement. The heart rate measurement serves only as a training aid.

1. Hold RESET for three seconds, select user and enter data. Alternatively, press RESET to return to the main menu.
2. Select the HRC mode with +/- buttons and confirm with MODE (see fig. 39).
3. Select different heart rates from 55% / 75% / 90% / or target heart rate with +/- buttons (figure 40-43). The heart rate value will be different depending on the setting of age.
4. If you select target heart rate, you must enter your target heart rate with the +/- buttons.
5. Enter TIME, DISTANCE, CALORIES and target PULSE values. Confirm with MODE (see fig. 44-46).
6. Press START to begin the training. Load level adjusts to your current heart rate.
7. Press STOP to stop the training. Press RESET to return to the main menu or hold for three seconds to get to the standby mode.



Figure 39



Figure 40



Figure 41



Figure 42

4.1 General Instructions

▶ ATTENTION

- + Make sure that the equipment is protected from moisture, dust and dirt in the selected storage location. The storage location should be dry and well ventilated and have a constant ambient temperature between 5°C and 45°C.

⚠ WARNING


- + The storage location should be chosen so that improper use by third parties or children can be prevented.
- + If your equipment does not have transportation wheels, the equipment must be disassembled before transportation.

4.2 Transportation Wheels

▶ ATTENTION

If you want to transport your equipment over particularly sensitive and soft floor coverings, such as parquet, planks or laminate, lay out the transport route with cardboard or similar to avoid possible floor damage.

1. Stand behind the equipment and lift it until the weight is transferred to the transportation wheels. After that, you easily can move the equipment to a new position. For long transport distances the equipment should be disassembled and safely packed.
2. Select the new location by following the instructions in the section 1.4 of this manual.



5.1 General Instructions



WARNING

- + Do not make any improper changes to the equipment.



CAUTION

- + Damaged or worn components may affect your safety and the life of the equipment. Therefore, immediately replace damaged or worn components. In such a case, contact the contract partner. The equipment must not be used until it has been repaired. If necessary, use only original spare parts.

ATTENTION

- + In addition to the instructions and recommendations for maintenance and care given here, additional service and/or repair work may be necessary; this must only be carried out by authorised service technicians.

5.2 Faults and Fault Diagnosis

The equipment undergoes regular quality controls during production. Nevertheless, faults or malfunctions may occur. Frequently, individual parts are responsible for these disturbances, an exchange is usually sufficient. Please refer to the following overview for the most common errors and how to correct them. If the equipment still does not function properly, contact your contract partner.

Fault	Cause	Solution
Cracking in the pedal area	Pedals loose	Tighten the pedals
Equipment wobbles	Equipment is not level	Align the feet
Handlebar/saddle wobbles	Loose screws	Tighten screws firmly
Display is blank/is not working	Loose cable connection	Check cable connections
No pulse display	<ul style="list-style-type: none"> + Sources of interference in the room + unsuitable chest strap + Wrong position of chest strap + Chest strap defective or battery empty + Pulse display defective 	<ul style="list-style-type: none"> + Eliminate sources of interference (e.g. mobile phone, WLAN, lawn mower and vacuum cleaner robot, etc. ...) + Use a suitable chest strap (see RECOMMENDED ACCESSORIES) + Reposition chest strap and/or moisten electrodes + Changing batteries + Check if pulse display by hand pulse possible

5.3 Maintenance and Inspection Calendar

To avoid damage from body sweat, the equipment must be cleaned with a damp towel (no solvents!) after each training session.

The following routine tasks must be performed at the specified intervals:

Part	Weekly	Monthly	Quarterly
Display console	C	I	
Slide rails*		C	
Lubrication of slide rails and moving parts*			I
Plastic covers	C	I	
Screws and cable connections		I	
Legend: C = clean; I = inspect			

*Make sure to always clean the slide rails and moving parts before re-lubricating.

By scanning the QR code with the camera function or QR code scanner app of your smartphone/tablet, a video on general maintenance of a crosstrainer opens on YouTube. The video serves to illustrate the maintenance points described in this manual.



Please note that the video may not be available in your language or with appropriate subtitles.

If you cannot scan QR codes, you can access all Sport-Tiedje videos on YouTube by first opening YouTube and entering "Sport-Tiedje" in the search field.

6 DISPOSAL

At the end of its operational life, this equipment cannot be disposed of in normal household waste. Instead, it must be disposed of via an electricals recycling centre. Further information can be obtained from your local authority's recycling service.



The materials can be recycled as per their symbols. Through the reuse, recycling of materials or other forms of recovery of old equipment, you make an important contribution to the protection of the environment.

7 RECOMMENDED ACCESSORIES

To make your training experience even more efficient and pleasant, we recommend that you add suiting accessories to your fitness equipment. For elliptical cross trainers this could for example be a **floor mat**, which makes your fitness equipment stand more securely and also protects the floor from sweat or **silicone spray** to keep moving parts in good shape.

If you have purchased a fitness machine with pulse training and want to train your heart rate, we strongly recommend that you use a compatible **chest strap**, as this ensures optimum transmission of the heart rate.

Our range of accessories offers the highest quality and makes training even better. If you would like to find out more about compatible accessories, please go to the detail page of the product in our webshop (the easiest way is to enter the article number in the search field above) and go to the recommended accessories on this page. Alternatively, you can use the QR code provided. Of course, you can also contact our customer service: by telephone, e-mail, in one of our branches or via our social media channels. We will be happy to advise you!



floor mat



chest strap



chest strap contact gel



towels



silicone spray

8.1 Serial Number and Model Name

In order to provide you with the best possible service, please have the model name, article number, serial number, exploded drawing and parts list ready. The corresponding contact options can be found in chapter 10 of this operating manual.

NOTICE

The serial number of your equipment is unique. It's located on a white sticker. The exact position of this sticker is shown in the following illustration.



Enter the serial number in the appropriate field.

Serial number:

Brand / Category:

Model Name:

Article Number:


8.2 Parts List

No.	Description	Qty.	No.	Description	Qty.
A	MAIN FRAME	1	A 31	AXLE 3/8"*26* Φ10*128L	1
A 1	SENSOR WIRE 1000mm	1	A 32	BEARING 6300 2RS	1
A 2	MOTOR	1	A 33	WASHER 3/8"-26*3.8T	3
A 3	SCREW M5xP0.8x12L	2	A 34	BUSH Φ10xΦ15.8x9mm	1
A 4	SPRING Φ1xΦ8.5x48L	1	A 35	WASHER Φ8xΦ19x2T	1
A 5	SENSOR WIRE HOUSING	1	A 36	NUT 2/8"-26x7T	2
A 6	SENSOR WIRE 900mm	1	A 37	PLATE COVER	2
A 7	SCREW M5x10mm	2	A 38	SCREW ST3.5x16 L	6
A 8	PULL EY Φ30*8	1	A 39	MAGNETIC HOUSING	1
A 9	MANGLET Φ15*2	1	A 40	SCREW M8xP1.25x55LxS17	1
A 10	AXLE Φ20*154.5L	1	A 41	NUT M8x7T	1
A 11	SCREW M6xP1.30x16L	4	A 42	MAIN CHAIN COVER (L)	1
A 12	NUT M10xP1.25-LH x10T	1	A 43	MAIN CHAIN COVER (R)	1
A 13	NUT M6X5.5T	4	A 44	SCREW 3/4	8
A 14	BEARING 6004 2ZZ	2	A 45	SCREW	12
A 15	PRESSING PLATE	1	A 46	WASHER Φ8xΦ16x2T	1
A 16	SCREW M8xP1.25x20L	1	A 47	NUT M8x7T	1
A 17	BEARING HOUSING	1	A 48	WASHER Φ5.5xΦ12x2T	2
A 18	BEARING 6000 2ZZ	2	A 49	BEARING 6000 2RS	1
A 19	WASHER Φ6.5xΦ13x2T	1	A 50	EVA PAD STICKER 20X60X1.5T	6
A 20	SCREW M6x10L	1	A 51	CLIP Φ18.5xΦ22.5x1T	1
A 21	SPRING Φ20xΦ4x12N	1	A 52	WASHER Φ20.3xΦ30x0.5T	1
A 22	NUT M6 Φ14.4x30L	1	A 53	WAVE WASHER Φ20.5xΦ30x0.3T	2
A 23	SCREW M6xP1.0x60L	1	A 54	WAVE WASHER Φ10.2xΦ13x0.3T	2
A 24	TURNING PLATE	2	A 55	FIXING SHEET	1
A 25	PIPE	2	A 56	SCREW M8x55LxS25L	1
A 26	NUT M10xP1.25x10T	1	A 57	NUT M8x6T	1
A 27	DECORATION COVER	2	B	CENTRAL SUPPORT TUBE	1
A 28	DC WIRE 1000L	1	B 1	SENSOR WIRE 800L	1
A 29	BELT 900J6	1	B 2	SENSOR WIRE 350L	2
A 30	MAGNETIC FLYWHEEL Φ400 32W11KG	1	B 3	END CAP	2
			B 4	SCREW M5x16L	2

B 5	SCREW ST3.9x20L	2	F5	HAN DLE BAR SPONGE Φ23x3Tx220L STR	2
B 6	END CAP	1			
B 7	END CAP	2	F6	HAN DLE PLUSE SENSOR	2
B 8	DECORATION COVER	2	F7	SENSOR HOUSING	2
B 9	AXLE Φ17x365L(M8)	1	F8	SCR EW ST2.9x20L	4
B 11	BEARING 6003 2ZZ	4	F9	SPACED RING	4
B 12	WASHER Φ8xΦ22x2T	2	F10	SENSOR WIRE 600L	2
B 13	SPRING W ASHER Φ8.5x13.5x2.5T	2	G 1	SIDE HAN DLE BAR (L)	1
B 14	SCREW M8xP1.25x20L	2	G 2	SIDE HAN DLE BAR (R)	1
B 15	END CAP	2	G 3	KN OB M16xP1.5x19L	2
B 16	DECORATION COVER OF HAN DLE BAR	2	G 4	SIDE HANDLE BAR SPONGE Φ30x3Tx450L STR	2
B 17	DECORATION COVER OF HAN DLE BAR	2	H 1	PEDAL (L)	1
			H 2	PEDAL (R)	1
B 18	SCR EW M5x12L	4	H 3	IRON BRACKET	2
B 19	SW ING HAN DLE BAR TUBE	2	H 4	KN OB	4
B 20	WAVE WASHER Φ17.5xΦ25x0.3T	2	H 5	ADAPTOR	1
B 21	CENTRAL COVER (L)	1	H 6	BOTTLE HOLD ER	1
B 22	CENTRAL COVER (R)	1	H 8	PEDAL TUBE (L)	1
C	REAR STABILIZER 70HDV	1	H 9	PEDAL TUBE (R)	1
C 1	SCREW M 8 xP 1.25 x1 02xS20L	2	H 10	END CAP	2
C 2	W ASHER Φ8xΦ16x2T	2	H 11	BEARING 2203 2RS	2
C 3	SPRING WASHER Φ8.5xΦ13.5x2.5T	2	H 12	CLIP Φ43.5xΦ37.3x1.5T	2
C 4	NUT M 8	2	H 13	CONNECT TUBE	2
C 5	END CAP (L)	1	H 14	BEARING 6002 2ZZ	4
C 6	END CAP (R)	1	H 15	W ASH ER Φ8xΦ16x2T	2
D	FRONT STABILIZER	1	H 16	SPRING WASHER Φ8.5xΦ13.5x2.5T	2
D 1	END CAP 90HDV	2	H 17	BUSH Φ15.2xΦ20x3L	2
D 2	WHEEL Φ76	2	H 18	AXLE Φ15x50.5L(M8)	2
D 3	SCR EW M5x16	4	H 19	SCR EW M8xP1.25x20L	2
E	CONSOLE	1	H 20	W ASH ER Φ8xΦ22x2T	2
F1	HAN DLE BAR (L) Φ25.4x1.5Tx660L	1	H 21	SPRING W ASHER Φ8.1x8.5x2.5T	2
F2	HAN DLE BAR (R) Φ25.4x1.5Tx660L	1	H 22	SCREW M8xP1.25x20L	2
F3	IRON BRACKET 2.5T	1	J1	SCREW M8xP1.25 x 90L x S20L	2
F4	HAN DLE BAR SPONGE Φ23x3Tx280L STR	2	J2	SPRING W ASHER Φ8.5x13.5x2.5T	10
			J3	WASHER Φ8.1xΦ16x2T	10

J4	SCREW M 8 x 20mm	6
J5	SCREW M8x16mm	6
J6	SCREW M8x20mm	6
J7	SCREW M8xP1.25x20L	4
J9	WASHER $\Phi 6 \times \Phi 12 \times 1.5T$	4
J10	SCREW M8x40mm	2
J11	SPRING W ASHER $\Phi 6.1 \times 1.6T$	4
J12	SCREW M5x12mm	2
J13	SPRING WASHER $\Phi 8.5 \times \Phi 13.5 \times 2.5T$	2
J14	W ASHER $\Phi 8 \times \Phi 16 \times 2T$	2
J15	SCREW	4

8.3 Exploded Drawing



Training equipment from Taurus® is subject to strict quality control. However, if a fitness equipment purchased from us does not work perfectly, we take it very seriously and ask you to contact our customer service as indicated. We are happy to help you by phone via our service hotline.

Error Descriptions

Your fitness equipment is developed for long-term, high-quality training. However, should a problem arise, please first read the operating instructions. For further assistance, please contact your contract partner or call our service hotline. To ensure your problem is solved as quickly as possible, please describe the defect as exactly as possible.

In addition to the statutory warranty, we provide a warranty for every fitness equipment purchased from us according to the following provisions.

Your statutory rights are not affected.

Warrantee

The warrantee is the first/original buyer and/or any person who received a newly purchased product as a gift from the original buyer.

Warranty period

The warranty periods, shown on our web shop, begin on delivery of the fitness equipment. The respective warranty periods for your equipment can be found on its product website.

Repair Costs

According to our choice, there will either be a repair, a replacement of individual damaged parts or a complete replacement. Spare parts, that have to be mounted while assembling the equipment, have to be replaced by the warrantee personally and are not a part of repair. After the expiration of the warranty period for repair costs, a pure parts warranty applies, which does not include the repair, installation and delivery costs.

The terms of use are defined as follows:

- + Home use: solely for private use in private households up to 3 hours per day
- + Semi-professional use: up to 6 hours per day (e. g. rehabilitation centres, hotels, clubs, company gyms)
- + Professional use: more than 6 hours per day (e. g. commercial gyms)

Warranty Service

Within the warranty period, equipment which develops faults as a result of material or manufacturing defects, will be repaired or replaced at our discretion. Ownership of equipment or parts of equipment which have been replaced is transferred to us. The warranty period is not extended nor does a new warranty period begin following repair or replacement under the warranty.

Warranty Conditions

For the warranty to be valid, the following steps must be taken:

Please contact our customer service by email or phone. If the product under warranty has to be sent in for repair, the seller bears costs. After expiry of the warranty, the buyer bears the costs of transport and insurance. If the fault is covered by our warranty, you will receive a new or repaired equipment in return.

Warranty claims are invalid in case of damage resulting from:

- + misuse or improper handling
- + environmental influences (moisture, heat, electrical surge, dust, etc.)
- + failure to follow the current safety measures for the equipment
- + failure to follow the operating instructions
- + use of force (e. g. hitting, kicking, falling)
- + interventions which were not carried out by one of our authorized service centres
- + unauthorised repair attempts

Proof of Purchase and Serial Number

Please make sure that you are able to provide the appropriate receipt when claiming on your warranty. So that we can clearly identify the model of your equipment, and for the purposes of our quality control, you will need to give the serial number of your equipment, when contacting the service team. Where possible please have your serial number and your customer number ready when you call our service hotline. It will help us to deal with your request swiftly.

If you cannot find the serial number on your fitness equipment, our service team is at your disposal to offer further information.

Service outside of the Warranty Period

We are also happy to issue an individual cost estimate if there is a problem with your fitness equipment after the warranty has expired, or in cases which do not fall under the terms of the warranty, e. g. normal wear and tear. Please contact our customer service team to find a quick and cost-effective solution to your problem. In such a case you will be responsible for the delivery costs.

Communication

Many problems can be solved just by speaking to us as your specialist supplier. We know how important it is to you as a user of the fitness equipment to have problems solved quickly and simply, so you can enjoy working out with minimal interruption. For that reason, we also want to resolve your queries quickly and in a straightforward manner. Thus, please always keep your customer number and the serial number of the faulty equipment handy.

DE	DK	FR
<p>TECHNIK</p> <p> +49 4621 4210-900</p> <p> +49 4621 4210-698</p> <p> technik@sport-tiedje.de</p> <p> Öffnungszeiten entnehmen Sie unserer Homepage.</p> <p>SERVICE</p> <p> 0800 20 20277 (kostenlos)</p> <p> info@sport-tiedje.de</p> <p> Öffnungszeiten entnehmen Sie unserer Homepage.</p>	<p>TEKNIK OG SERVICE</p> <p> 80 90 16 50</p> <p>+49 4621 4210-945</p> <p> info@fitshop.dk</p> <p> Åbningstider kan findes på hjemmesiden.</p>	<p>TECHNIQUE & SERVICE</p> <p> +33 (0) 172 770033</p> <p>+49 4621 4210-933</p> <p> service-france@fitshop.fr</p> <p> Vous trouverez les heures d'ouverture sur notre site Internet.</p>
	PL	BE
	<p>TECHNIKA I SERWIS</p> <p> 22 307 43 21</p> <p>+49 4621 42 10-948</p> <p> info@fitshop.pl</p> <p> Godziny otwarcia można znaleźć na stronie głównej.</p>	<p>TECHNIQUE & SERVICE</p> <p> 02 732 46 77</p> <p>+49 4621 42 10-932</p> <p> info@fitshop.be</p> <p> Vous trouverez les heures d'ouverture sur notre site Internet.</p>

UK	NL	INT
<p>CUSTOMER CARE</p> <p> +44 141 737 2249</p> <p> customercare@powerhouse-fitness.co.uk</p> <p> You can find the opening hours on our homepage.</p>	<p>TECHNISCHE DIENST & SERVICE</p> <p> +31 172 619961</p> <p> info@fitshop.nl</p> <p> De openingstijden vindt u op onze homepage.</p>	<p>TECHNICAL SUPPORT & SERVICE</p> <p> +49 4621 4210-944</p> <p> service-int@sport-tiedje.de</p> <p> You can find the opening hours on our homepage.</p>
	AT	CH
	<p>TECHNIK & SERVICE</p> <p> 0800 20 20277 (Freecall)</p> <p>+49 4621 42 10-0</p> <p> info@sport-tiedje.at</p> <p> Öffnungszeiten entnehmen Sie unserer Homepage.</p>	<p>TECHNIK & SERVICE</p> <p> 0800 202 027</p> <p>+49 4621 42 10-0</p> <p> info@sport-tiedje.ch</p> <p> Öffnungszeiten entnehmen Sie unserer Homepage.</p>

Please find a detailed overview including address and opening hours for all stores of the Sport-Tiedje Group in Germany and abroad on the following website:

www.sport-tiedje.com/en/stores


WE LIVE FITNESS

WEBSHOP AND SOCIAL MEDIA

Sport-Tiedje is Europe's largest specialist store for home fitness equipment with currently over 70 stores and one of the world's most renowned online mail order companies for fitness equipment. Private customers order via the 25 web shops in the respective national language or have their desired equipment assembled on site. In addition, the company supplies fitness studios, hotels, sports clubs, companies and physio practices with professional equipment for endurance and strength training.

Sport-Tiedje offers a wide range of fitness equipment from renowned manufacturers, high-quality in-house developments and comprehensive services, such as a build-up service and sports scientific advice before and after the purchase. The company employs numerous sports scientists, fitness trainers and competitive athletes.

Visit us also on our social media platforms or our blog!



TAURUS

cardiostrong

BODYCRAFT

cardiojump

DUKEFITNESS

DARWIN

Notes

Notes



Elliptical Cross Trainer **EX60**